



Garantiehinweis für Solakon Balkonkraftwerke

Herstellergarantien für die verbauten Solarmodule

Je nach Ausführung Ihres Balkonkraftwerks werden Solarmodule der Hersteller JA Solar oder Lepton Energy eingesetzt. Dieses Dokument dient als deutschsprachige Zusammenfassung der beigefügten Original-Garantiebedingungen der Hersteller.

1. Garantiegeber

JA Solar Technology Co., Ltd., Peking, China
Leapton Energy Co., Ltd., Japan

2. Verwendete Modulserien

JA Solar: JAM60D41 LB Black Module – N-Type Double Glass Bifacial Module
Leapton: LP182×182-M-54-NB – N-Type TOPCon Dual Glass

3. Garantierte Leistungswerte

JA Solar (N-Type Doppelglas, bifazial)

- Leistungsverlust im 1. Jahr: maximal 1,0 %
- Ab Jahr 2 bis Jahr 30: maximal 0,4 % pro Jahr
- Garantierte Restleistung nach 30 Jahren: mindestens 87,4 %

Leapton (N-Type TOPCon Dual Glass)

- Leistungsverlust im 1. Jahr: maximal 1,0 %
- Ab Jahr 2 bis Jahr 30: maximal 0,4 % pro Jahr
- Garantierte Restleistung nach 30 Jahren: mindestens 87,4 %

4. Voraussetzungen und Ausschlüsse

Die Garantie setzt eine fachgerechte Installation gemäß Herstellervorgaben voraus. Ausgeschlossen sind insbesondere Schäden durch unsachgemäße Installation, unzulässige Veränderungen, mobile Anwendungen, außergewöhnliche Umwelteinflüsse oder Verstöße gegen die jeweiligen Installationsanleitungen.

5. Vorgehen im Garantiefall

Bitte bewahren Sie Kaufbeleg und Seriennummern auf. Garantieansprüche sind gemäß den Bedingungen des jeweiligen Herstellers geltend zu machen. Der Hersteller entscheidet nach Prüfung über Reparatur, Ersatzlieferung, Ausgleich oder weitere Maßnahmen gemäß den Garantiebedingungen.

6. Rechtlicher Hinweis

Dieses Dokument dient ausschließlich als deutschsprachige Zusammenfassung. Maßgeblich sind ausschließlich die beigefügten englischen Original-Garantiebedingungen der Hersteller. Ihre gesetzlichen Gewährleistungsrechte gegenüber dem Verkäufer bleiben hiervon unberührt.

Anhang

Nachfolgend folgen die unveränderten englischen Original-Garantiebedingungen der Hersteller.

JA SOLAR MODULE PRODUCT

LIMITED WARRANTY



This Limited Warranty for JA Solar Brand Crystalline Solar PV Modules (hereinafter referred to as "Limited Warranty") is issued by JA Solar Technology Co., Ltd. (JA SOLAR TECHNOLOGY CO., LTD.), which is headquartered at Building No.8, Nuode Center, Automobile Museum East Road, Fengtai District, Beijing, China (100160), or its legal successors or assigns (hereinafter collectively referred to as "JA Solar"), and applies exclusively to Modules (as defined in Section 1 hereof).

01. Definition of Modules:

Modules are defined in this Limited Warranty as photovoltaic solar modules manufactured by JA Solar or its authorized manufacturers, legitimately bearing "JA Solar" brand, that are of the following product types:

Mono-crystalline single glass products:

JAMXXS10-XXX/XX; JAMXXS20-XXX/XX; JAMXXS21-XXX/XX; JAMXXS30-XXX/XX; JAMXXS31-XXX/XX; JAM72S17-XXX/GR; JAMXXS4X-XXX/MR; JAMXXS4X-XXX/GR; JAMXXS4X-XXX/LR

Mono-crystalline double glass products:

JAMXXD10-XXX/XX; JAMXXD20-XXX/XX; JAMXXD21-XXX/XX; JAMXXD30-XXX/XX; JAMXXD31-XXX/XX; JAMXXD4X-XXX/MB; JAMXXD4X-XXX/GB; JAMXXD4X-XXX/LB; JAMXXD4X-XXX/HB

Note: "X" represents different types of product and different power class.

02. Effective Date, Beneficiary and Warranty Start Date:

2.1 This Limited Warranty takes effect on [10th] [May], 2024(hereinafter referred to as "Effective Date") and applies to Modules first sold after the Effective Date (the date of sale shall be the date indicated in the contracts for the supply of the relevant Modules signed by JA Solar and its affiliates that sold the Modules). Modules sold before the Effective Date is still subject to the Limited Warranty applicable at the time of sale. This version of the Limited Warranty shall remain in effect for the duration of the Limited Product Warranty Period and Limited Peak Power Warranty Period for the applicable Modules covered.

2.2 The sole and exclusive beneficiary of this Limited Warranty is: the purchaser or its permitted successors or assignees under Section 7, whichever is the end user ("Customer") with respect to any Module set forth herein sold by JA Solar under any Module Supply Agreement. For avoidance of doubt, such Customer is limited to a Buyer who acquires the title of Modules and maintains such Modules at the original place of installation without having Modules moved or disassembled after initial installation.. Upon JA Solar's written request, Customer shall confirm ownership of the Modules.

2.3 The term of this Limited Warranty starts from the earlier of: (i) the date of initial delivery to the Customer by JA Solar or its authorized manufacturer, or (ii) six (6) calendar months after Modules dispatch from the JA Solar factory as indicated by the serial numbers for such Modules (hereinafter referred to as "Warranty Start Date").

03. Limited Warranty:

3.1 Limited Product Warranty:

Subject to the terms and conditions of this Limited Warranty, JA Solar warrants to the Customer for a period of one hundred and forty-four (144) calendar months following the Warranty Start Date (hereinafter referred to as "Limited Product Warranty Period") that the Modules (together with the factory-assembled DC connectors and cables), when installed, used, and serviced under normal operating conditions

and in accordance with the JA Solar module installation manual, product technical specifications and maintenance manual (which, if not provided in the supply contract, can be downloaded from JA Solar' official website at www.jasolar.com) will:

1) be free from any defects in design, materials, workmanship or manufacturing which affects module function.

(Hereinafter referred to as "Limited Product Warranty").

The Limited Product Warranty does not cover any changes in appearance (including but not limited to color changes) and normal wear and tear (including but not limited to scratches, contamination, mechanical wear, rust, mildew and other forms of natural wear and tear) that occur after the delivery or installation of the Modules. The Limited Product Warranty does not warrant a specific power output or performance of any Modules, which shall be exclusively covered under Section 3.2 below.

3.2 Limited Peak Power Warranty

Subject to the terms and conditions of this Limited Warranty, JA Solar provides to the Customer a Limited Peak Power Warranty for single glass Modules for a period of 25 years from the Warranty Start Date, or double glass Modules for a period of 30 years from the Warranty Start Date from the Warranty Start Date ("Limited Peak Power Warranty Period"):

1) For p type mono-crystalline single glass Modules (whose product types are: JAMXXS10-XXX/XX.): the Degradation Rate shall not exceed 2.5% in the first year beginning from the Warranty Start Date, and an additional 0.6% each year thereafter from the beginning of the second year until that date which is twenty-five (25) years following the Warranty Start Date, at which time the Peak Power Output shall be not less than 83.1% of the Nominal Power Output;

For p type mono-crystalline single glass Modules (whose product types are: JAMXXS20-XXX/XX; JAMXXS21-XXX/XX; JAMXXS30-XXX/XX; JAMXXS31-XXX/XX; JAM72S17-XXX/GR): the Degradation Rate shall not exceed 2% in the first year beginning from the Warranty Start Date, and an additional 0.55% each year thereafter from the beginning of the second year until that date which is twenty-five (25) years following the Warranty Start Date, at which time the Peak Power Output shall be not less than 84.8% of the Nominal Power Output;

2) For p type mono-crystalline double glass Modules (whose product types are: JAMXXD10-XXX/XX): the Degradation Rate shall not exceed 2.5% in the first year beginning from the Warranty Start Date, and an additional 0.5% each year thereafter from the beginning of the second year until that date which is thirty (30) years following the Warranty Start Date, at which time the Peak Power Output shall be not less than 83% of the Nominal Power Output;

For p type mono-crystalline double glass Modules (whose product types are: JAMXXD20-XXX/XX; JAMXXD21-XXX/XX; JAMXXD30-XXX/XX; JAMXXD31-XXX/XX;): the Degradation Rate shall not exceed 2% in the first year beginning from the Warranty Start Date, and an additional 0.45% each year thereafter from the beginning of the second year until that date which is thirty (30) years following the Warranty Start Date, at which time the Peak Power Output shall be not less than 84.95% of the Nominal Power Output;

3) For n type mono-crystalline single glass Modules (whose product types are: JAMXXS4X-XXX/MR; JAMXXS4X-XXX/GR; JAMXXS4X-XXX/LR): the Degradation Rate shall not exceed 1% in the first year beginning from the Warranty Start Date, and an additional 0.4% each year thereafter from the beginning of the second year until that date which is twenty-five (25) years following the Warranty Start Date, at which time the Peak Power Output shall be not less than 89.4% of the Nominal Power Output;

4) For n type mono-crystalline double glass Modules (whose product types are: JAMXXD4X-XXX/MB; JAMXXD4X-XXX/GB; JAMXXD4X-XXX/LB): the Degradation Rate shall not exceed 1% in the first year beginning from the Warranty Start Date, and an additional 0.4% each year thereafter from the beginning of the second year until that date which is thirty (30) years following the Warranty Start Date, at which time the Peak Power Output shall be not less than 87.4% of the Nominal Power Output;

5) For n type mono-crystalline double glass Modules (whose product types are: JAMXXD4X-XXX/HB): The Degradation Rate shall not exceed 1% in the first year beginning from the Warranty Start Date, and an additional 0.37% each year thereafter from the beginning of the second year until that date which is thirty (30) years following the Warranty Start Date, at which time the Peak Power Output shall be not less than 88.27% of the Nominal Power Output;

(Hereinafter referred to as "Limited Peak Power Warranty")

Note: "X" represents different types of product under different power class.

For the avoidance of doubt, unless otherwise specified in this Limited Warranty, the terms used in the Limited Peak Power Warranty shall have the following meanings:

"Nominal Power Output" means the power output measured for the Modules under the Standard Test Conditions, as indicated on its original nameplate, excluding any positive tolerance that may exist in the Modules.

"Standard Test Conditions" or "STC": (a) light spectrum of AM 1.5; (b) an irradiation of 1000W per square meter; and (c) a cell temperature of 25 degrees centigrade at right angle irradiation. The measurements are carried out in accordance with IEC61215 (equivalent to GB/T 9535) as tested at the junction box terminals per the calibration and testing standards of JA Solar valid at the date of manufacture of the Modules.

"Peak Power Output" means the power output at the maximum power point on the output characteristic curve that Module generates in the relevant warranty period after the Warranty Start Date under STC as measured in accordance with IEC61215, considering uncertainty.

"The amount of claimed modules" that is the amount of abnormal modules represented by the test sampling

"Degradation Rate" means any positive amount calculated in accordance with the following formula, expressed as a percentage:

[Note] For the avoidance of doubt, it is hereby declared that the Degradation Rate of the warranty commitment is the Yearly Degradation Rate from the Warranty Start Date, the Degradation Rate for

less than one year shall be calculated as a whole year.

Degradation Rate = $100\% \times (\text{Nominal Power Output} - \text{the Average of Peak Power Output}) / \text{Nominal Power Output}$

For the avoidance of doubt, notwithstanding anything to the contrary herein, the Limited Peak Power Warranty for bifacial double glass series Modules shall apply only to the front-side power output of such Modules.

3.3 Exclusions:

The Limited Product Warranty provided in Section 3.1 and the Limited Peak Power Warranty provided in Section 3.2 shall not apply to the following events:

- 1) The Modules have been subject to misuse, abuse, neglect, or accident except as may be caused by JA Solar or its affiliates that sold the Modules in the course of storage, transportation or handling;
- 2) The Modules have been installed, used and serviced in a manner that fails to strictly comply with the relevant provisions of the JA Solar module installation manual, product technical specifications and maintenance manual;
- 3) The Modules have been installed or serviced by installation personnel or other personnel who do not have the relevant qualifications in violation of the relevant laws and regulations;
- 4) The Modules have been altered, repaired or modified, or used in processes or in combination with other products not supplied by JA Solar in a manner not consistent with the written instructions of or without the prior written consent of JA Solar or its affiliates;
- 5) The Modules (or the repaired or replaced or supplemented new Modules provided by JA Solar under the Limited Warranty) have been removed and re-installed at any location other than the physical location in which it was originally installed;
- 6) The product type, nameplate or serial number of the Modules have been removed, altered, erased or rendered illegible;
- 7) The design or layout of the photovoltaic power plant system in which the Modules are installed does not conform to the designated module application (certification) or does not meet applicable requirements (e.g. IEC 62548:2016, IEC TS 62738:2018) and generally accepted codes of practice for a safe and harmless operation.;
- 8) The Modules are installed on mobile units (except photovoltaic tracking systems), such as vehicles, ships, etc., or on offshore facilities;
- 9) Exposure of the Modules to an extreme environment or damage caused by drastic changes in such environments, including but not limited to extreme heat, acidic rainfall (including snow), blowing sand, corrosiveness, salty air (e.g. marine environment), contaminated air, soil or groundwater, abnormal levels of oxidation, mold, or any nearby fire, explosion, smoke, or charring.
- 10) Damage caused by force majeure such as natural disasters, including but not limited to lightning, hail, frost, snow, storms, tidal waves, floods, extreme temperatures, earthquakes, typhoons, tornadoes, volcanic

eruptions, meteorites, ground motions, earth fissures, landslides, or animal damage;

11) Direct or indirect damage caused by third party vandalism or acts beyond the control of JA Solar and its affiliates that sold the Modules, including but not limited to accidents, riots, war, insurrection and communal violence; and

12) Damage caused by an accident at the photovoltaic power plant in which the Modules are installed due to any external factor. External factors include but are not limited to voltage fluctuations, power peaks, excess current, power failure, poor electrical or mechanical engineering work, untrained personnel, or other faults occurring in the power supply system (whether or not such failures are caused by any act or omission of the Customer).

In addition, the Limited Product Warranty provided in Section 3.1 and the Limited Peak Power Warranty provided in Section 3.2 shall not apply to Modules for which JA Solar and its affiliates that sold the Modules have not received all or part of the receivable derived from the sale of the Modules (whether or not the Customer is the debtor for the receivable). Where JA Solar exercises the right to reject a warranty claim under this provision, the Customer may pay the outstanding payment to JA Solar to get the claim accepted. If Customer was not the debtor, then after the Customer pays the outstanding payment, it can assert a claim against the actual debtor. To this end, JA Solar can assist the Customer by issuing a debt transfer certificate.

04. Warranty Claims

4.1 Time Limit for Warranty Claims

All claims under the Limited Product Warranty must be submitted in writing to JA Solar within the Limited Product Warranty Period, while all claims under the Limited Peak Power Warranty must be submitted in writing to JA Solar within the Limited Peak Power Warranty Period. JA Solar shall have the right to reject any and all warranty claims submitted outside of the respective warranty period.

4.2 Burden of Proof for Warranty Claims

In any circumstance, the burden of proof for any warranty claim made by the Customer shall rest upon the Customer. The warranty claim will only be accepted if the Customer provides sufficient documentary evidence to fully demonstrate that the only cause of the fault or non-conformity in the Modules is a breach of the Limited Product Warranty and/or the Limited Peak Power Warranty.

4.3 Warranty Claim Procedures

Customer shall, as soon as it becomes aware of an instance of non-conformity with the Limited Product Warranty and/or the Limited Peak Power Warranty (such Modules involved in the warranty claim are referred to as the "Claim Modules"), immediately (but in any event no later than the earlier of (i) 14 calendar days after it became aware of or should have become aware of such events, and (ii) the respective expiry date of the Limited Product Warranty Period and/or the Limited Peak Power Warranty Period for the Claim Modules) notify JA Solar's Quality Management Department by giving it written notice sent to: Building No.8, Nuode Center, Automobile Museum East Road, Fengtai District, Beijing, China (100160), Tel: 010-63611888, or via email sent to: Services@jasolar.com.

Customer shall provide the following information along with the notice: a) cause of the claim and related supporting documents; b) proof of purchase of the Claim Modules (including but not limited to the supply contract, commercial invoice, delivery and acceptance certificate, payment voucher, etc. If Customer did not purchase the Claim Modules directly from JA Solar or one of its affiliates, it shall provide proof of purchase from the supplier that can be traced back to the supply contract, commercial invoice, etc., signed by JA Solar and its affiliates); c) product type and serial number of the Claim Modules; d) Warranty Start Date of the Claim Modules; e) place of installation of the Claim Modules; f) other additional information requested by JA Solar.

JA Solar will review and evaluate the claim. JA Solar may require the Customer to ship the Claim Modules back to JA Solar's factory for testing if it deems necessary, in which case, JA Solar will issue a return merchandise authorization (hereinafter referred to as "RMA") to Customer. **Customer shall only return the Claim Modules in accordance with the requirements of the RMA after receiving of the same issued by JA Solar. Otherwise, JA Solar shall have the right to reject the warranty claim and refuse to accept the Claim Modules returned by Customer without authorization, and the related risk of loss and expenses shall be borne by Customer.** If the Claim Modules returned are confirmed to be not in

conformity with the Limited Product Warranty and/or the Limited Peak Power Warranty, JA Solar will reimburse Customer for the actual shipping and insurance costs associated with the returning of the Claim Modules based on the invoices related to such costs provided by Customer.

JA Solar has the right to decide at its sole discretion whether to conduct an on-site investigation and verification at the installation site of the Claim Modules by a representative. If JA Solar decides to conduct on-site investigation and verification, it shall notify Customer in writing at least 10 working days in advance of its plan for such on-site investigation and verification. Customer shall reply and confirm as soon as possible after receiving written notice from JA Solar. The parties shall communicate timely and cooperative to plan and enable a constructive and efficient on-site investigation and verification. For this purpose, Customer or plant operation staff is requested to fully cooperate (technical and logistical) with JA Solar's representative during the onsite investigation. If Customer refuses JA Solar's on-site investigation and verification request without any proper reason, JA Solar shall have the right to postpone the claim processing until additional and evaluable data are provided, or if not delivered within a reasonable period of time, to reject the related warranty claim.

4.4 Technical Disputes

Any dispute on technical facts relating to claims brought under this Limited Warranty shall be finally determined by an independent third-party testing organization. JA Solar and Customer shall jointly appoint a reputable international or Chinese testing organization or any other neutral third-party testing organization (hereinafter referred to as "Third-party Testing Organization") to determine the dispute. The Third-party Testing Organization should have the certificate of ISO/IEC17025, and should be mutually recognized and accepted by both parties at the time of the complaint. Neither Customer nor JA Solar shall unreasonably refuse to participate in the evaluation or delay the relevant testing and evaluation procedures, and shall provide convenience for the relevant testing and evaluation (including but not limited to providing convenience at the installation site and/or providing convenience for JA Solar to ship the Claim Modules involved to the Third-party Testing Organization for testing). Before carrying out such testing and evaluation, the Third-party Testing Organization shall inform JA Solar and Customer of the test equipment's power tolerance, which should be reflected in the final conclusions. The Third-party Testing Organization shall act as an expert, adjudicate on the disputed technical facts, allow the parties a reasonable opportunity to make representations and counter-representations and take those representations and counter-representations into account in making final conclusions. The final conclusions arrived at by the Third-party Testing Organization shall be final, conclusive and binding on both parties, and shall be a mandatory prerequisite for the judicial assertion of a warranty claim. Reasonable expenses incurred by the Third-party Testing Organization in carrying out the evaluation shall be paid in advance by Customer, including the cost of shipping the Claim Modules to the designated testing location of the Third-party Testing Organization, insurance costs, storage costs, etc., as well as the service charges for testing and evaluation. If the Third-party Testing Organization concludes that the Claim Modules do not conform to the Limited Product Warranty and/or the Limited Peak Power Warranty, JA Solar shall reimburse for actual testing and transportation expenses prepaid by Customer upon receipt of the relevant written notice and copies of the relevant invoices. The risk of damage to and loss of the Claim Modules in the process of testing and evaluation by the Third-party Testing Organization shall be transferred at the same time as their ownership.

4.5 Ownership of the Claim Modules

The ownership of the Claim Modules is transferred to JA Solar only after JA Solar confirms Customer's warranty claim and provides replacements or refunds in accordance with the remedies provided under this Limited Warranty. Until such time, ownership of the Claim Modules shall remain with Customer.

05. Remedy for Warranty Claims:

5.1 Remedy under the Limited Product Warranty:

Should JA Solar confirm that the Claim Modules are indeed not in conformity with the Limited Product Warranty, it shall, at its sole discretion, within a reasonable time period, either: a) repair the Claim Modules at no charge to Customer; b) provide Customer with replacement Modules in place of the Claim Modules; c) for refund, it shall refer to the current market price(ex. The latest published price of PV Infolink) , a refund of the purchase price as calculated by current market price per watt * nominal power * (remaining limited product warranty years/Limited product warranty years)); or d) other compensation methods agreed by the parties, such as JA providing letter of credit / Credit Note, etc.; Unless the parties agree otherwise, JA Solar

shall ship the repaired Modules or replacement Modules in the same manner and to the same destination as specified in the original supply contract signed by JA Solar or one of its affiliates. The cost of shipping shall be paid in the same manner as specified in the original supply contract.

5.2 Remedy under the Limited Peak Power Warranty:

Should JA Solar confirm that the Claim Modules are indeed not in conformity with the Limited Peak Power Warranty, it shall, at its sole discretion, within a reasonable time period, either: a) repair the Claim Modules at no charge to Customer; b) provide Customer with replacement Modules in place of the Claim Modules; c) make up the difference to the guaranteed power output by providing additional Modules at no cost to Customer such that the total power output of additional Modules equals the amount of degradation in the Claim Modules, calculated as follows:

(Nominal Power Output – the Average Peak Power Output of the Sampling Modules)* number of Claim Modules;

d) for refund, it shall refer to the current market price(ex. The latest published price of PV Infolink), a refund of the purchase price as calculated by current market price per watt * nominal power * (remaining limited product warranty years/Limited product warranty years)); or e) other compensation methods agreed by the parties, such as JA providing letter of credit / Credit Note, etc..

5.3 Exclusive Remedy:

The Remedy under the Limited Product Warranty and the Remedy under the Limited Peak Power Warranty as set forth above are the sole and exclusive responsibility and obligation of JA Solar to Customer under this Limited Warranty, and are also the sole and exclusive remedy of Customer for the Claim Modules under this Limited Warranty. JA Solar will only reimburse for expenses expressly stipulated in this Limited Warranty. Costs and expenses associated with removal of the Claim Modules and the reinstallation of the repaired or replacement Modules as well as customs clearance costs incurred by the return of the Claim Modules (if any) shall be borne by Customer. JA Solar's performance of its warranty obligation under this Limited Warranty shall not extend the Limited Product Warranty Period or the Limited Peak Power Output Warranty Period. The original warranty periods shall still apply to the repaired or replacement Modules. If the production of the same type of the Claim Modules has been discontinued, withdrawn from the market, or is otherwise unavailable, JA Solar shall have the right to replace the Claim Modules with a similar type, the performance of which should not be lower than the original type.

06. Limitation of Liability:

1)Notwithstanding anything to the contrary herein, the warranties set forth in this Limited Warranty are in lieu of all other warranties, whether express, implied, or statutory, including but not limited to any implied warranties of merchantability, fitness for a particular purpose or non-infringement. However, if Customer is identified as a “consumer” and the Modules as a “consumer product” in accordance with the laws governing the protection of consumer rights in the country where the Modules were first installed, to the extent required by applicable law, any implied warranties of merchantability, fitness for a particular purpose or non-infringement are limited to the Limited Product Warranty Period or the Limited Peak Power Output Warranty Period set forth above, or such shorter period as required by applicable law. This Limited Warranty gives Customer specific legal rights, and Customer may also have other rights that vary by state, province or jurisdiction, and such other rights shall remain unaffected.

2)Unless otherwise provided by applicable mandatory law in the country where the Modules were first installed, JA Solar shall not be liable for any of the following losses: a) personal injury or property damage; b) any other loss or injury whatsoever arising out of or in connection with the Modules (including but not limited to any defects in the Modules or arising from the use or installation thereof); c) any incidental, consequential or special damages resulting from any cause; and d) lost power, lost profits, lost production, lost revenue or lost interest caused by the non-usability of the Modules, even if JA Solar was aware of the possibility of such damages. JA Solar's liability for fraudulent or willful intent, gross negligence or personal injury, in each case, under applicable mandatory liability law shall remain unaffected. Notwithstanding any other provision of this Limited Warranty, and including if JA Solar is liable to compensate Customer here under, the total compen

sation paid or payable by JA Solar, and the total liability of JA Solar hereunder, shall not exceed the amount actually received by JA Solar as indicated in the original invoice for the Claim Modules. The limitations of liability under this Limited Warranty will not apply to the extent restricted or prohibited by applicable mandatory law.

3) Defective modules or discarded modules, unless JA Solar had agreed or is required to retrieve these modules by law, shall be properly disposed by customers in accordance with applicable local laws and regulations. If JA Solar decided or required by law to take back such modules, the rights to the related products will belong to JA Solar.

4) Customer acknowledges that the foregoing limitations on liability are an essential element of the relevant supply contract between the parties and that in the absence of such limitations the purchase price of the relevant Modules would be substantially higher.

5) JA Solar has adopted reasonable methods such as bolding, blackening and highlighting to draw the Customer's attention to clauses which exclude or limit its liability under this Limited Warranty, and have fully explained the relevant clauses as required by Customer. There is no disagreement between the parties over the understanding of any clause of this Limited Warranty.

07. Assignment

Upon written notice to JA Solar, Customer may assign this Limited Warranty to a new owner of the entire power plant project or an individual consumer who is passed title of Module product after its initial installation, provided that: (i) the Modules remain in their original place of installation, (ii) there is no outstanding payment due under the supply contract; and (iii) the assignee agrees to be bound by these Limited Warranty terms. If requested by JA Solar, Customer shall provide reasonable evidence of such succession or transfer of ownership. This Limited Warranty may not otherwise be assigned or transferred, and any attempt to assign or transfer in violation of this Section 7 shall be null and void.

08. Miscellaneous

8.1 Severability

If any portion or provision of this Limited Warranty is held to be invalid, illegal or unenforceable under applicable law, or the application of such portion or provision to certain persons or in certain circumstances is held to be invalid, illegal or unenforceable, then the portion or provision shall be deemed to be changed and interpreted to accomplish the objectives of such portion or provision to the greatest extent possible under applicable law and the remaining portions or provisions of this Limited Warranty or the applicability of this Limited Warranty will remain unaffected, independent and valid.

8.2 Force Majeure:

JA Solar shall not be responsible or liable in any way to Customer for any non-performance or delay in JA Solar's performance of its obligations under this Limited Warranty due to occurrences of force majeure events such as natural disasters, war, riots, strikes, unavailability of suitable or sufficient labor, material, or capacity or technical or yield failures and any unforeseen event beyond its control, including, without limitation, any technological or physical event or condition which is not reasonably known or understood by JA Solar at the time of the sale of the Claim Modules or the notification by Customer of the relevant warranty claim.

8.3 Governing Law and Dispute Resolution

Any dispute related to or arising out of this Limited Warranty, including without limitation any question regarding its existence, validity, breach, or termination, shall be referred to and finally resolved pursuant to the governing law clauses and dispute resolution procedures under the supply contract between the original purchaser and JA Solar. As a condition to any obligation of JA Solar hereunder, JA Solar may require any Customer seeking to enforce this Limited Warranty to execute such additional agreements as may reasonably be required to enforce the terms of this Section. The laws governing this Limited Warranty shall exclude any conflicts-of-law rule as well as the United Nations Convention on Contracts for the International Sale of Goods (CISG) concluded on April 11, 1980 and any other uniform code.

Harvest the Sunshine

Premium Cells, Premium Modules

Any copy for reference only,
Please verify the latest version.

File Level	Serial Number	Edition	Author	Approved
	LP/QD--QC-001	A/0		
Auditor				

Update Record

Version	Effective date	Update description
I	20230824	The ninth edition
H	20230323	The eighth edition
G	20211223	The seventh edition
F	20210430	The sixth edition
E	20201214	The fifth edition
D	20200608	The fourth edition
C	20190730	The third edition
B	20190312	The second edition
A	20170901	The first edition

Documents:

リープ トン エナジー 株式会社 Leapton Energy Co., Ltd.

Limited warranty of leapton Energy PV Modules

1. Limited product warranty – Twenty five years repair, replacement

Leapton Energy warrants its PV modules to be free from defects in materials and workmanship under normal application, installation, use and service conditions. If modules fail to conform to this warranty, then for a period ending 300 months from the date of sales to the original terminal customer (hereinafter referred to as "customer"), Leapton will repair or replace the modules for the customers. The repair or the replacement shall be the sole and exclusive remedy provided under the "Limited product warranty" and shall not extend beyond the 300 months period set forth herein. The "Limited product warranty" does not warrant a specific power output, which shall be exclusively covered under clause 2 hereinafter ("Limited peak power warranty").

2. Limited Peak Power Warranty

1) Power test conditions: The test of the peak power of the delivered modules should be made under standard test conditions - an irradiation of $1000\text{W}/\text{m}^2$, temperature 25°C , AM1.5. $1000\text{W}/\text{m}^2$ is the standard light intensity when we test the solar cells. AM1.5 refers to the actual distance of light pass through the atmosphere is 1.5 times of the vertical thickness of the atmosphere. 25°C means the modules should work in the temperature of 25°C .

2) Warranty conditions: The customer must handle the product properly. The design, installation, operation environment and maintenance of the solar system should follow the installation guide and relevant regulations.

3) Power Attenuation

3.1) PERC solar module

A. Monofacial

The Warranty Start Date is the date of installation of the Product(s) or three months after delivery (Incoterms 2020) of the Products(s) to the Buyer, whichever date is earlier. In addition, Leapton Energy warrants that for a period of twenty-five years commencing on the Warranty Start Date, the loss of power output relating to the initial guaranteed power which

is defined as Peak Power Watts Pmax (Wp) plus Peak Power Watts Pmax(Wp) multiplied by the lower limit of the Power Output Tolerance Pmax(%) – as specified in the relevant Product Data Sheet and measured at Standard Test Conditions (STC) for the Product(s) shall not exceed

- For monocrystalline products (according to the model in the IEC certificate) : 2% in the first year, 0.55% per year thereafter, at the end of the 25-year warranty not less than 84.8 % of the maximum output power.
- Actual output power must be verified under STC conditions and measured by Leapton Energy or a third party testing facility approved by Leapton Energy. (Note: According to the STC, the uncertainty of the measurement system will apply to all actual power output measurements.)
- The definition of high temperature and high humidity environment: temperature condition is annual average temperature > 23°C, minimum monthly average temperature > 18°C, humidity condition is annual average RH > 70%, minimum monthly average RH > 60%

B. Bifacial With Transparent Backsheet

The Warranty Start Date is the date of installation of the Product(s) or three months after delivery (Incoterms 2020) of the Products(s) to the Buyer, whichever date is earlier. In addition, Leapton Energy warrants that for a period of thirty years commencing on the Warranty Start Date, the loss of power output relating to the initial guaranteed power which is defined as Peak Power Watts Pmax (Wp) plus Peak Power Watts Pmax(Wp) multiplied by the lower limit of the Power Output Tolerance Pmax(%) – as specified in the relevant Product Data Sheet and measured at Standard Test Conditions (STC) for the Product(s) shall not exceed

- For monocrystalline products (according to the model in the IEC certificate) : 2 % in the first year, 0.55% per year thereafter, at the end of the 30-year warranty not less than 82.05% of the maximum output power.
- Actual output power must be verified under STC conditions and measured by Leapton Energy or a third party testing facility approved by Leapton Energy. (Note: According to the STC, the uncertainty of the measurement system will apply to all actual power output measurements.)
- The definition of high temperature and high humidity environment: temperature condition is annual average temperature > 23°C, minimum monthly average temperature > 18°C, humidity condition is annual average RH > 70%, minimum monthly average RH > 60%

C. Bifacial With Dual Glass

The Warranty Start Date is the date of installation of the Product(s) or three months after delivery (Incoterms 2020) of the Products(s) to the Buyer, whichever date is earlier. In addition, Leapton Energy warrants that for a period of thirty years commencing on the Warranty Start Date, the loss of power output relating to the initial guaranteed power which is defined as Peak Power Watts Pmax (Wp) plus Peak Power Watts Pmax(Wp) multiplied by the lower limit of the Power Output Tolerance Pmax(%) – as specified in the relevant Product Data Sheet and measured at Standard Test Conditions (STC) for the Product(s) shall not exceed

- For monocrystalline products (according to the model in the IEC certificate) : 2% in the first year, 0.45% per year thereafter, at the end of the 30-year warranty not less than 84.95% of the maximum output power.
- Actual output power must be verified under STC conditions and measured by Leapton Energy or a third party testing facility approved by Leapton Energy. (Note: According to the STC, the uncertainty of the measurement system will apply to all actual power output measurements.)

3.2) N-TYPE solar module

A. Monofacial

The Warranty Start Date is the date of installation of the Product(s) or three months after delivery (Incoterms 2020) of the Products(s) to the Buyer, whichever date is earlier. In addition, Leapton Energy warrants that for a period of thirty years commencing on the Warranty Start Date, the loss of power output relating to the initial guaranteed power which is defined as Peak Power Watts Pmax (Wp) plus Peak Power Watts Pmax(Wp) multiplied by the lower limit of the Power Output Tolerance Pmax(%) – as specified in the relevant Product Data Sheet and measured at Standard Test Conditions (STC) for the Product(s) shall not exceed

- For monocrystalline products (according to the model in the IEC certificate) : 1% in the first year, 0.4% per year thereafter, at the end of the 30-year warranty not less than 87.4% of the maximum output power.
- Actual output power must be verified under STC conditions and measured by Leapton Energy or a third party testing facility approved by Leapton Energy. (Note: According to the STC, the uncertainty of the measurement system will apply to all actual power output measurements.)
- The definition of high temperature and high humidity environment: temperature condition is annual average temperature > 23°C, minimum monthly average temperature > 18°C, humidity condition is annual average RH > 70%, minimum monthly

average RH > 60%

B. Bifacial With Transparent Backsheet

The Warranty Start Date is the date of installation of the Product(s) or three months after delivery (Incoterms 2020) of the Products(s) to the Buyer, whichever date is earlier. In addition, Leapton Energy warrants that for a period of thirty years commencing on the Warranty Start Date, the loss of power output relating to the initial guaranteed power which is defined as Peak Power Watts Pmax (Wp) plus Peak Power Watts Pmax(Wp) multiplied by the lower limit of the Power Output Tolerance Pmax(%) – as specified in the relevant Product Data Sheet and measured at Standard Test Conditions (STC) for the Product(s) shall not exceed

- For monocrystalline products (according to the model in the IEC certificate) : 1 % in the first year, 0.4% per year thereafter, at the end of the 30-year warranty not less than 87.4% of the maximum output power.
- Actual output power must be verified under STC conditions and measured by Leapton Energy or a third party testing facility approved by Leapton Energy. (Note: According to the STC, the uncertainty of the measurement system will apply to all actual power output measurements.)
- The definition of high temperature and high humidity environment: temperature condition is annual average temperature > 23°C, minimum monthly average temperature > 18°C, humidity condition is annual average RH > 70%, minimum monthly average RH > 60%

C. Bifacial With Dual Glass

The Warranty Start Date is the date of installation of the Product(s) or three months after delivery (Incoterms 2020) of the Products(s) to the Buyer, whichever date is earlier. In addition, Leapton Energy warrants that for a period of thirty years commencing on the Warranty Start Date, the loss of power output relating to the initial guaranteed power which is defined as Peak Power Watts Pmax (Wp) plus Peak Power Watts Pmax(Wp) multiplied by the lower limit of the Power Output Tolerance Pmax(%) – as specified in the relevant Product Data Sheet and measured at Standard Test Conditions (STC) for the Product(s) shall not exceed

- For monocrystalline products (according to the model in the IEC certificate) : 1% in the first year, 0.4% per year thereafter, at the end of the 30-year warranty not less than 87.4% of the maximum output power.
- Actual output power must be verified under STC conditions and measured by Leapton Energy or a third party testing facility approved by Leapton Energy. (Note: According to the STC, the uncertainty of the measurement system will apply to all actual power output

measurements.)

4) Within the limitation of the corresponding quality assurance if the product is doubt, can be sent to pointed by Leapton Solar or admitted by the Leapton Solar for testing, Leapton Solar authorized letter must be confirmed before send samples for testing, product must good appearance. During the testing, such as a power output is lower than the standards listed in the above form, and proved that the loss of power is Leapton Solar reasons, after the customer provide the relevant documentary evidence, Leapton Solar will providing additional product to compensate for the power loss portion;

The remedy provided in this article is the only and exclusive remedy under the "limited Peak power guarantee".

Defects caused by material and process problems should be given after-sales plan in accordance with the terms of "Limited Product Warranty", "Limited Peak Power Guarantee"

No compensation will be given to the power loss caused by the above-mentioned defects.

3.Exclusions and Limitations

A. In any event, all warranty claims must be received within the applicable warranty period for this warranty to be effective.

B. The “Limited Product Warranty” and the “Limited Peak Power Warranty” do not apply to any MODULES which have been subjected to:

- Misuse, abuse, vandalism, neglect or accident;
- Alteration, improper installation or application;
- Non-observance of Leapton Energy’s installation manual or maintenance instructions;
- Repair or modifications by someone other than an approved service technician of Leapton Energy;
- Power failure surges, lightning, flood, fire, accidental breakage, improper connections resulting in hazardous reverse current or other events outside Leapton Energy’s control.

C. Both “Limited Product Warranty” and “Limited Peak Power Warranty” do not cover any costs associated with transportation, installation, removal or re-installation for return of the modules.

D. Warranty claims will not be honored if the type or serial number of the MODULES have been altered, removed or made illegible.

4.Limitation of Warranty Scope

This “limited warranty for pv modules” as set forth herein is expressly in lieu of and excludes all other express or implied warranties, including but not limited to warranties of merchantability and of fitness for particular purpose, use, or application, and all other obligations or liabilities on the part of Leapton Energy, unless such other obligations or liabilities are expressly agreed to in writing signed and approved by Leapton Energy. Leapton Energy shall have no responsibility or liability whatsoever for damage or injury to persons or property, or for other loss or injury resulting from any cause whatsoever arising out of or related to the modules, including, without limitation, any defects in the modules, or from use or installation. Under no circumstances shall Leapton Energy be liable for incidental, consequential or special damages, howsoever caused. Loss of use, loss of profits, loss of production, and loss of revenues are specifically and without limitation excluded. Leapton Energy’s aggregate liability, if any, in damages or otherwise, shall not exceed the invoice value as paid by the customer, for the single unit of module.

5.Obtaining Warranty Performance

If the customer has a justified claim covered by this “Limited Warranty of PV Modules”, an immediate notification shall be filed in writing to (a) the vendor or (b) Leapton Energy’s authorized distribution partner, who supplied affected modules, or (c) Leapton Energy office. Together with the notification, the customer should enclose the evidence of the date on which the modules have been purchased. If applicable, the vendor or distributor will give advice on the processing of the claim. If more assistance is required, the customer may request guidance from Leapton Energy in writing. The return of any modules will not be accepted unless prior written authorization has been given by Leapton Energy.

Obtain Leapton Energy customer service:

E-mail: info@leaptonenergy.com

No.55, SunshineAvenue,Changshu, Jiangsu, China

6. Disputes

In any form, in the event of a dispute that has occurred for more than one year, the customer shall not make any dispute regarding this limited warranty.

7. Various

The repair or replacement of the modules or the supply of additional modules, does not cause the beginning of new warranty terms, nor shall the original terms of this “Limited Warranty of PV Modules” be extended. Any replaced modules shall become the property of Leapton Energy for their disposal. Leapton Energy has the right to deliver another type (different in

size, color, shape and/or power) in case Leapton Energy has discontinued producing the replaced modules at the time of the claim.

If the customer purchased module is not listed in “Limited Warranty of PV Modules”, customer may contact Leapton Energy for more information on the applicable warranty.

8. Force Majeure

Leapton Energy shall not be responsible or liable in any way to the customer or any third-party arising from any non-performance or delay in performance of any terms and conditions of sale, including but not limited to any technical and substantive events or environmental conditions that can not be reasonably foreseen and understood in the event of the sale of PV modules or claims, due to natural disasters, war, riots, strikes, etc. can not get appropriate and adequate labor, materials, mold, production capacity, technology; or any other similar cause or circumstance beyond the reasonable control of Leapton Energy. In such cases, performance by Leapton Energy of this Limited Warranty shall be suspended without liability for the period of delay reasonably attributable to such causes.

Nominal Power Output in product datasheet is the power in Watt peak that a Photovoltaic Solar Modules generates in its Maximum Power Point under Standard Testing Conditions (STC). STC are as follows:

- (1) light spectrum of AM 1.5,
- (2) an irradiation of 1000 W per m²
- (3) a cell temperature of 25 degrees centigrade at right angle irradiation.

The measurements are carried out in accordance with IEC 61215 as tested at the connectors or junction box terminals – as applicable – per calibration and testing standards of Leapton Energy valid at the date of manufacture of the PV-modules.