

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Aica Sanitär

Supplier's address: Aica Sanitär GmbH, Alleestraße 1, 53757 Sankt Augustin Nordrhein Westfalen, DE

Model identifier: DY-LED-S120

Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type (or other electric interface)	N/A		
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Yes

Product parameters

Parameter	Value	Parameter	Value
-----------	-------	-----------	-------

General product parameters:

Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer	9	Energy efficiency class	F
Useful luminous flux (ϕ_{use}), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	900 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000 or 4 500 or 6 500
On-mode power (P_{on}), expressed in W	9,0	Standby power (P_{sb}), expressed in W and rounded to the second decimal	0,00
Networked standby power (P_{net}) for CLS, expressed in W and rounded to the second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	85
Outer dimensions without separate control gear, light-	Height	60	Spectral power distribution in the range 250 nm to 800 nm, at full-load
	Width	1 200	
	Depth	15	
			See image in last page


ing control parts and non-lighting control parts, if any (millimetre)			
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-
		Chromaticity coordinates (x and y)	0,321 0,325
Parameters for LED and OLED light sources:			
R9 colour rendering index value	35	Survival factor	1,00
the lumen maintenance factor	0,96		

(a) : not applicable;

(b) : not applicable;

Model: DY-LED-S120 (CCT 6500K)

Chromaticity Coordinate: $x = 0.3193$ $y = 0.3139$



Model placed on the Union market from 17/11/2024.



EPREL registration number: 2511325

<https://eprel.ec.europa.eu/qr/2511325>

Supplier: AICA Sanitär GmbH (Importer)

Website: <https://aicasanitaer.de>

Customer care service:

Name: Aica Sanitär GmbH

Website:

Email: aicaeshop@gmail.com

Phone: 02241 - 2615519

Address:

Alleestraße 1
53757 Sankt Augustin
Germany